

Oil-injected Screw Compressor – 50Hz

Fixed Speed Compressor CPM 25-50




People.
Passion.
Performance.



Chicago
Pneumatic

Easy maintenance



Extra reliability



- **Easy and fast maintenance**
Easy maintenance and very low pressure drop thanks to the new oil separation
- **Chicago Pneumatic in-house design element**
Guarantees stable compressor air supply and efficient operation
- **ES4000T controller**
4.3" HD graphic touch controller integrated with intelligent connectivity


- Offer a simple plug-and-play solution
- Lower noises <64dB(A) for your silent working environment
- Offers extra reliability with belt driven for CPM25 & 30 TMDD

Complete your compressed air installation with an ICONS plan


What if your compressor needs service or an immediate intervention?
With an ICONS plan, you get an alert from your controller delivered straight to your computer, tablet or smartphone. Wherever you are, you can take immediate action and reduce the risk of downtime and other costs.



With connectivity
















Without connectivity



CPM Series 25-50HP/18.5-37kW

Technical data

Model									
	Pressure	Motor	Capacity*		Noise	Weight	Connection	Dimension	
	Mpa	hp	kW	l/s	cfm	dB(A) ±2	KG	G	LxWxH(mm)
CPM 25	1	25	18.5	33	70	73	364	1	850x790x1260
	0.7			51	107				
	0.8			50	106				
CPM 30	1	30	22	43	91	71	436	1	1150x850x1000
	0.7			61	129				
	0.8			58	123				
CPM 40	1	40	30	50	105	72	559	1 1/2	1430x950x1200
	0.7			89	189				
	0.8			83	176				
CPM 50	1	50	37	74	157	72	600	1 1/2	1430x950x1200
	0.7			110	233				
	0.8			105	222				
	1			85	180				

Model									
	Pressure	Motor	Capacity*		Noise	Weight	Connection	Dimension	
	Mpa	hp	kW	l/s	cfm	dB(A) ±2	KG	G	LxWxH(mm)
CPM 25 TMDD	0.8	25	18.5	50	106	73	564	1	1565x790x1784
	1			43	91				
CPM 30 TMDD	0.8	30	22	58	123	71	564	1	1565x790x1784
	1			48	102				

* Unit performance measured according to ISO 1217, Annex C, latest edition and ISO 2151.



Since 1901 the Chicago Pneumatic name has represented reliability and attention to customer needs, with construction, maintenance and production tools and compressors designed for specific industrial applications. Today, Chicago Pneumatic has a global reach, with local distributors around the world.

Our people start every single day with a passion to research, develop, manufacture and deliver new products that are meant to meet your needs not only today, but tomorrow as well. To learn more, visit www.cp.com.

For more information, please contact your CP partner:

Use only authorized parts. Any damage or malfunction caused by the use of unauthorized parts is not covered by Warranty or Product Liability.